



Company Profile

Sanvin India, Delhi based Company aims to offer products of better aesthetics, innovation, durability and comfort for patient and medical fraternity. We strive to come up with new ideas and solutions so that both patients and caregivers can have a better quality and quantity of life. Sanvin has become now synonymous among medical fraternity for products of comfort and aesthetics.

Since the past few years, we have upgraded not only products but also backup and after sales services.

Sanvin India always keeps improving and seeking higher standard products. **Sanvin** India always develop the new products, which presents a novel appearance, exquisite workmanship, excellent quality, and was known for cost performance and competitive to all over the world.

In the future, **Sanvin** will be based at creating higher quality products, providing excellent after-sell service, help to protect human 's health. The dissemination of health, to lead the High-end future". That is the mission of **Sanvin India**.

CERTIFICATE























AVAILABLE



Micro LED Examination Light



Model: Micro Ceiling Double Dome
Best solution for Minor OT/Dermatology, Hair & Skin Clinics, OPD's

LED examination Light with intensity of 100000 LUX and 4300 Kelvin (day light). The entire body is made of Aluminum. It comes with a metalic sterile handle for easy positioning of light head. Anti Static Castors with brakes for better stability.

Available in Ceiling/Wall mount /Mobile/Optional Battery Backup



Sleek Design



Aerodynamic Shape



Micro LED Examination Light



Micro Mobile



Micro Ceiling

Technical Data

Intensity 100000 Lux Dimmable (Each Dome)
CCT 4300 Kelvin (Day Light)
CRI 95 rA
LEDs 24 (German LEDs)
Focus / Spot Size 200 mm Fixed
LED Life 50000 Hours
Autoclave Handle Aluminum Handle




Micro M with Battery Backup



Micro Wall Mount (Space Saving Design)



■ Fine Lux Series LED Surgical Light

















Fine Lux Series LED Surgical Light



Fine Lux 55

Technical Data

Intensity 160000 Lux + 160000 Lux **CCT** 3500K - 5000 Kelvin CRI 93 rA <u>+</u> 5rA

Focus Adjustable 100mm - 250mm LED Life > 50000 Hours (German Bulbs) Digital with Wireless Remote Control Panel 220V/50Hz AC (Hearwell Taiwan) **Power Supply**

60 + 60No. of LEDs



Fine Lux 44

Technical Data

Intensity 140000 Lux + 140000 Lux **CCT** 3500K - 5000 Kelvin CRI

93 rA <u>+</u> 5rA

Adjustable 100mm - 250mm Focus LED Life > 50000 Hours (German Bulbs) Digital with Wireless Remote Control Panel 220V/50Hz AC (Hearwell Taiwan) **Power Supply**

No. of LEDs 48 + 48



Fine Lux 33

Technical Data

100000 Lux + 100000 Lux Intensity **CCT** 3500K - 5000 Kelvin

CRI 93 rA <u>+</u> 5rA

Adjustable 100mm - 250mm **Focus** > 50000 Hours (German Bulbs) LED Life Control Panel Digital with Wireless Remote 220V/50Hz AC (Hearwell Taiwan) **Power Supply**

36 + 36No. of LEDs



Fine Lux Series LED Surgical Light





Fine Lux 5

Fine Lux 4

Fine Lux 3







Fine Lux 5M

Fine Lux 4M

Fine Lux 3M

Technical Data

Model	Finelux 5/5M	Finelux 4/4M	Finelux 3/3M
Intensity	160000 Lux	140000	100000 Lux
CCT	3500K - 5000 Kelvin	3500K - 5000 Kelvin	3500K - 5000 Kelvin
CRI	93 rA + 5rA	93 rA + 5rA	93 rA + 5rA
Focus	Adjustable 100mm - 250mm	Adjustable 100mm - 250mm	Adjustable 100mm - 250mm
LED Life	> 50000 Hours (German Bulbs)	> 50000 Hours (German Bulbs)	> 50000 Hours (German Bulbs)
Control Panel	Digital with Wireless Remote	Digital with Wireless Remote	Digital with Wireless Remote
Power Supply	220V/50Hz AC (Hearwell Taiwan)	220V/50Hz AC (Hearwell Taiwan)	220V/50Hz AC (Hearwell Taiwan)
No. of LEDs	60	48	36

■ Quality First, Service First

- Optional Battery Backup
- Wall Mount Available



Petal Series LED Surgical Lights

LED Shadowless Surgical Light

O. R. Products



Model: Petal 43

- Aerodynamic Design
- Laminar Flow Compatible

HD Optics

■ Endoscopy & Surgical Mode

■ Concern Life and Cherish Health















■ Petal Series

LED Surgical Lights



Model: Petal 3



Model: Petal 4



Model: Petal 3M

Technical Data

Intensity 120000 Lux

CCT 3500K - 5000 Kelvin CRI 93 rA ± 5rA

CRI 93 rA \pm 5rA LEDs 24 (German LEDs)

Focus Fixed

LED Life <u>></u>50000 Hours

Control Panel Digital with Window Remote

Power Supply 220V/50Hz AC No. of LEDs 64 Bulbs

Technical Data

Intensity 160000 Lux

CCT 3500K - 5000 Kelvin

CRI 93 rA \pm 5rA LEDs 24 (German LEDs)

Focus Fixed

LED Life ≥50000 Hours

Control Panel Digital with Window Remote

Power Supply 220V/50Hz AC No. of LEDs 80 Bulbs

Petal is Portable



Model: Petal 4M



Petal Series LED Surgical Lights



Model: Petal 3 Dome



■ Wireless operation

Laminar Flow Compatible

Petal Series adap ts latut technology with finland optics, bulks from Germany alongwith front safety glass from Mitsubishi Japan.



Model: Petal 4 Dome



Endoscopy Mode



■ Petal Series

LED Surgical Lights



Model: Petal 43

Technical Data

Intensity 160000 Lux + 120000 Lux CCT 3500K - 5000 Kelvin

CRI 93 rA \pm 5rA LEDs 24 (German LEDs)

Focus Fixed

LED Life ≥50000 Hours

Control Panel Digital with Window Remote
Power Supply 220V/50Hz AC

Power Supply 220V/50Hz AC No. of LEDs 64 + 48 Bulbs



Model: Petal 44

Technical Data

Intensity 160000 Lux + 160000 Lux CCT 3500K - 5000 Kelvin

CRI 93 rA <u>+</u> 5rA LEDs 24 (German LEDs)

Focus Fixed

LED Life ≥50000 Hours

Control Panel Digital with Window Remote

Power Supply 220V/50Hz AC No. of LEDs 64 + 64 Bulbs



Model: Petal 33

Technical Data

Intensity 120000 Lux + 120000 Lux CCT 3500K - 5000 Kelvin

CRI 93 rA <u>+</u> 5rA LEDs 24 (German LEDs)

Focus Fixed

LED Life ≥50000 Hours

Control Panel Digital with Window Remote

Power Supply 220V/50Hz AC No. of LEDs 48 + 48 Bulbs



■ Macro Series

Truly Shadowless



Model: Macro 500/500

■ Aluminium Dome

■ Endoscopy Mode

■ Glare Free Design

■ Wireless Remote

■ Adjustable Focus















Macro Series



Model: Macro 500 M (Optional Battery Backup)



Model: Macro 500



ENDO MODE


Technical Data

Model	Macro 500/500	Macro 500
Intensity	150000 + 150000 Lux	150000 Lux
Focus	100-250mm	100-250mm
CRI	95 rA	95 rA
CCT	Variable 3500-5200 Kelvin	Variable 3500-5200 Kelvin
Modes	Endoscopy Mode / Surgical Mode	
Controller	Digital Feather Touch with Wireless Remote	
No. of LEDs	48 + 48 Bulbs	48 Bulbs
Arms	Hassle Free 360° Rotation	Hassle Free 360° Rotation





Shadowless Surgical Lamps



Model : Glow 6060 Double Head















■ Glow Series

Single Head





Model: Glow 60

Features:

- Aluminum Body
- Aerodynamic Shape
- Low Temperature
- 360° Rotation System
- Wireless Remote
- German LEDs
- Dome Dia: 600mm
- Taiwan Power Supply
- Endoscopy Mode

Technical Data

Intensity 160000 lux (Each Dome) CCT 3500k - 5200 kelvin

CRI 93 Ra

Focus Adjustable 100mm-250mm

LED Bulb Life ≥ 50000 hours

Control Panel Digital with wireless remote

Power Supply 220V/50Hz AC

No. of LEDs 72 (3 color combination)

Special Features

Wireless Remote Control 360° Hassle Free Rotation System

Available with HD Camera & Monitor

Quality First, Service First



OPERATION THEATER TABLE

MODEL:-SV-301
HYDRAULIC SURGICAL OT TABLE



Standard Accessories:

- Anesthetic Screen
- Shoulder Supports with pad
- · Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Salient Features

- Centric Pillars Stainless Fitting Detachable, Head, Leg
- Four Sectional
- Base & Cover Made of Attractive Easy to clean Stainless Steel
- Sophisticated Mechanics Provide Smooth, Step less articulation of the table top for precise patient positioning.
- Press Paddle for Height Adjustment Concealed Pump.



Technical Specification

Length of Table 1910 mm Width of Table Top 522 mm Height (Min-Max.) : 750-1000 mm Trendelenburg (Rev.) : 25° Lateral Tilt $\pm 20^{\circ}$ Back Section $\pm 60^{\circ}$ Head Section $\pm 60^{\circ}$ Leg Section 0°-90° Floor Locking System: Manual

The table use for built -in elevator kidney bridge support kidney or gynaecology surgery efficiently.



OPERATION THEATER TABLE

MODEL :- SV-302 (C)

C-ARM COMPATIBLE HYDRAULIC OT TABLE



Salient Features :

- Encentric Pillars Stainless Fitting Detachable, Head, Leg & Pelvic Section Four Sectional Radio-Translucent Top
- Base & Cover Made of Attractive Easy to clean Stainless Steel Sophisticated Mechanics Provide Smooth, Step less articulation of the table top for precise patient positioning. Press Paddle for Height Adjustment Concealed Pump In Built Kidney Bridge.

Suitable for:

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Standard Accessories:

- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Technical Specification

Length of Table	:	1910 mm
Width of Table Top	:	522 mm
Height (Min-Max.)	:	750-1000 mm
Trendelenburg (Rev.)	:	25°
Lateral Tilt	:	±20°
Back Section	:	±60°
Head Section	:	±60°
Leg Section	:	0°-90°
Floor Locking System	:	Manual
Battery Backup	:	Optional



OPERATION THEATER TABLE

MODEL :- **SV-303** (R)

C-ARM COMPATIBLE ELECTRIC 5 FUNCTION OT TABLE WITH REMOTE



Features:

• Resistant against thermal • Long service life • Rigid construction. • Electric table position system height up/ height down, trendelenburg/reverse, trendelenburg, Right-left lateral tilt arm easy to use, reflex and flex position and integrated with the operation table.

Suitable for:

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Standard Accessories:

- Anesthetic Screen
- · Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Technical Specification

Length of Table		1910 mm
Width of Table Top	:	522 mm
Height (Min-Max.)	:	750-1000 mm
Trendelenburg (Rev.)	:	25°
Lateral Tilt	:	±20°
Back Section	:	±60°
Head Section	:	±60°
Leg Section	:	0°-90°
Floor Locking System	:	Manual
Battery Backup	:	Optional

OPERATION THEATER TABLE

MODEL:-SV-303(R & N)

C-ARM COMPATIBLE FULL ELECTRIC 5 FUNCTION OT TABLE WITH REMOTE & NURSE PANEL



Salient Features:

• Encentric Pillars • Stainless Fitting • Detachable, Head, Leg & Pelvic Section • Four Sectional Radio-Translucent Top • Base & Cover Made of Attractive Easy to clean Stainless Steel • Sophisticated Mechanics Provide Smooth, Step less articulation of the table top for precise patient positioning.

Suitable for:

- General Surgery
- Vascular Surgery
- Cardiac Surgery
- Neurology Surgery
- Urology Surgery
- Gynecology
- Laparoscopy
- Plastic Surgery

Standard Accessories:

- Anesthetic Screen
- Shoulder Supports with pad
- Arm Boards with pad
- Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Technical Specification

Length of Table 1910 mm Width of Table Top 522 mm Height (Min-Max.) : 750-1000 mm Trendelenburg (Rev.) 25° Lateral Tilt ±20° **Back Section** $\pm 60^{\circ}$ **Head Section** $\pm 60^{\circ}$ Leg Section $0^{\circ}\text{-}90^{\circ}$







ZERO POSITION



OPERATION THEATER TABLE

MODEL:-SV-304 E&M

C-ARM COMPATIBLE FULL ELECTRIC 5 FUNCTION OT TABLE OPERATED MANUALLY THROUGH REMOTE, NURSE PANEL & HAVE BATTERY BACKUP



"SANVIN" SURGICAL OPERATING TABLE [C-Arm Compatible] ELECTRO - MECHANICAL O.T TABLE OPERATED MANUALLY, THROUGH REMOTE & NURSING PANEL AND HAVE BATTERY BACK UP

- 1. Five Section eccentrically positioned Radio-Translucent Table Top Completely for "C"- Arm Image intensifier .
- 2. Operating Positions :- [Height up/dn] Trendelenburg /Reverse Trendelen.][Lateral Tilt] & [Back Section] all controlled by Remote through Overseas Electro-Mechanical Actuators, Nursing panel & Manually.
- 3. Frame work under Radiolucent Top is of S.S. by which 95% of the Table gets covered with S.S.
- 4. Head/Foot Section & Kidney Bridge Manually Operated .
- 5. Head and Foot Section are Manually Interchangeable as and when required .

Standard Accessories:

- · Anesthetic Screen
- Shoulder Supports with pad
- · Arm Boards with pad
- · Lateral support with pad
- knee Crutches
- Water Proof Rubber Matteress

Suitable for:

 General Surgery Vascular Surgery Cardiac Surgery

 Neurology Surgery Urology Surgery

Gynecology

 Laparoscopy Plastic Surgery

Technical Specification

Length of Table 1910 mm Width of Table Top 522 mm Height (Min-Max.) 750-1000 mm Trendelenburg (Rev.) 25° Lateral Tilt $\pm 20^{\circ}$ **Back Section** $\pm 60^{\circ}$ **Head Section** $\pm 60^{\circ}$ 0°-90° Leg Section







ZERO POSITION



OPERATION THEATER TABLE

OT TABLE POSITION



Height Up



Height Down



Trendelenburg



Reverse Trendelenburg



Lateral Tilt-Right



Lateral Tilt-Left



Reflex Position



Flex Position

OPERATION THEATER TABLE

ORTHOPEDIC ATTACHMENT



Orthopedic Attachment is a flexible, easily operable instrument for Orthopedic Surgery

The attachment allows the positioning of the extremity as required in regard to the surgery practice and the refore is especially adapted to ensure safe and efficient.

Standard Accessories:

Orthopedic Section
Pelvic Rest
Pelvic support (Radio Translucent)
Inner thigh support (Radio Translucent)
Foot plate with Ortho shoes
Tibia Attachment
Hand Surgery Table (Radio Translucent)
1 pc.
Leg holder (Goepel Type)
1 pc.

Orthopaedic traction set is suitable for use with all operating tables in orthopaedic surgeries...

- Leg strainer function by mechanical lever
- Traction boots with up & down movement and rotation capability around its own axis.

OPERATION THEATER TABLE

ORTHOPEDIC ATTACHMENT'S

Orthopaedic traction set is suitable for use with all operating tables in orthopaedic surgeries...



Tibia Bone-nailing Position



Femur Treatment And Lateral Position With Steinman Pin Holder



Patient Positioning For Neck Of Femur Nailing
Traction (d.h.s)



C-arm Compatible Electric Table With Orthopaedic Attachment



Hand Surgery Position



Humerus In Lateral



OPERATION THEATER TABLE


ORTHOPEDIC ATTACHMENT'S

Orthopaedic traction set is suitable for use with all operating tables in orthopaedic surgeries...





Ortho Attachment Hanging Model



Ortho Attachment Hanging Model



Spine Bridge





Pelvis Support - C-Arm Compatible



OPERATION THEATER TABLE

NEUROSURGERY HEAD REST ESPECIALLY DESIGNED FOR USE IN NEUROSURGERY OPERATIONS.

Extremely durable and rigid construction from aluminium alloy. 2 image fixing system with pins and completely adjustable skull clumps. Adjustment mechanism from 4 different points. Easily mountable horse shoe head rest accessory.

Neurosurgery Head Rest With Pin & Horseshoe Head Rest





Sujita Head Fixator For Sitting / Prone Positions.

Neuro Skull Fixator in Spine Position & Skull Pins.





Head Rest device for prone, Spine & Lateral Position.

Spine Surgery in Prone Position Using Horse shoe Headrest Cushioned Spine Frame.

OPERATION THEATER TABLE

EXTRA ACCESSORIES



Orthopedic Attachment



Radiolucent Operating Table with Stand



Femur Nailing Support



Neuro Sujita Head Fixator for Sitting / Prone Positions



Head Rest device for prone, Spine & Lateral Position



Spinal Bridges for prone position



Neuro Skull Fixator Spine Position



Steinmen Pin Holding Clamp



Finger GripvDevice

EXTRA STANDARD



Tibia Nailing



Lithotomy Crutches





Crutches Holder Steel Clamp



Lateral Support



Arm Rest



Water Proof Antistatic Rubber M



Sanvin India

Add. : G/f , Back Side Plot At Kh. No-12/5 Village Nangli Sakrawati

Opp Radha Kishan Dharam Kata Najafgarh , New Delhi -110043

Mob.: 9313292265, 9911082876, 7289080726

Email: sanvinindia@gmail.com Web: www.sanvinindia.com